

Three scissor hydraulic lift 200 kg

brandnew



Specifications

Туре	HD3 550 mm c.t.c.
Brand	Hortimat
Code	21236
Control	Controls on headend of platform
Version	Three scissors hydraulic
Maximum speed	56 meters per minute
Path displacement	Hydraulic
Platform length	1800 mm
Platform width	440 mm

21236-V23022501-EN

Renewed Quality Machines and Materials





Step-up plateau	Optionally available
Center to center distance	550 mm, pipe 51 mm, optionally adjustable
Maximum lifting capacity	300 kg
Maximum platform height	4150 mm
Speed adjustable	Speed controller included
Safety rail	Included
Length	1900 mm
Width	760 mm
Height	1770 mm
Battery capacity	2× 12 Volt
Battery indicator	Included
Battery charger	Optionally available

Hortimat customizing work

Hortimat can design the offered machine to exact the customer requirements. Optionally we constructively adjust the machine or we install new operating systems. We also deliver tailor made solutions in the form of logistic conveyor belt systems and we think along with the customer for custom made solutions.

W www.hortimat.nl

T +31(0)174 38 71 10 E info@hortimat.com



Why Hortimat

- Adapting / modifying of used machines to desired specifications of the customer
- Applying of new 2023 operating systems on used machines
- New Hortimat range of products
- Service and warranty by own technical specialists
- Solid revision; guarantees a long lifetime
- Individual advice about logistics matters, such as: grading machines, processing areas