

Greenhouse roofwasher



Specifications

Туре	Roofmaster Light
Brand	Besseling
Code	20490
Suitable for	Cleaning of greenhouse roof
Wheelbase	1250mm
Displacement dock	Included
T55 Pump	Optionally available
Extra hose/cable	Optionally available
Control	PLC controlled

20490-V23032901-EN

Renewed
Quality
Machines and
Materials





Maximum speed	20/30 meter per minute
Center to center distance	4.000 mm
Fuel consumption	3,5 KW
Weight	537 kg
Power supply	400 V, 3 phases, zero + earth, 50 Hz
Year of manufacturing	New

Plants grow faster when they receive more light. That's why it's so important for greenhouse roofs to remain clean. Washing a greenhouse roof by hand isn't an option. So it's not surprising that many greenhouse growers opt for a Roofmaster Light washing system.

The greenhouse roof washing system consists mainly of the roof washer itself and a platform. The system can be moved along a greenhouse's gable via a rail attached to the greenhouse. The roof washer stands in the gutters on the platform, which is suspended from the rail.

The platform moves the roof washer to the peak that is to be washed. The platform has ramps to connect it to the greenhouse's gutter. The roof washer then moves across the greenhouse roof via the gutters, while washing the roof. When the roof washer reaches the end of the roof it returns to the platform, which then moves the roof washer on to the next peak that is to be washed.

New ideas and technology resulted in a new design roof washer: Roofmaster Light.

Hortimat is official dealer of the Roofmaster-series!

Hortimat customizing work

Hortimat can design the offered machine to exact the customer requirements. Optionally we constructively adjust the machine or we install new operating systems. We also deliver tailor made solutions in the form of logistic conveyor belt systems and we think along with the customer for custom made solutions.



Why Hortimat

- Adapting / modifying of used machines to desired specifications of the customer
- Applying of new 2023 operating systems on used machines
- New Hortimat range of products
- Service and warranty by own technical specialists
- Solid revision; guarantees a long lifetime
- Individual advice about logistics matters, such as: grading machines, processing areas

W www.hortimat.nl

T +31(0)174 38 71 10 E info@hortimat.com