

Trolley with air tyres

brandnew



Specifications

Туре	Rubber wheels 1.7
Brand	Hortimat
Code	24291
Control	Controls on pole on platform
Version	Single mechanic
Platform length	1310 mm
Platform width	455 mm
Center to center distance	605 mm





Minimum platform height	620 mm
Maximum platform height	1700 mm
Speed adjustable	Yes
Wheels	4 air tyres
Safety rail	Including complete safety rail
Length	1600 mm
Width	750 mm
Height	1700 mm
Battery indicator	Included

The Rubber wheels 1.7 is equipped with rubber tires and is designed to operate in greenhouses or foil tunnels that are not equipped with a pipe rail system. The work platform can be manually adjusted in height. Furthermore, the platform is supported by two springs, which make it easy to adjust the platform.

Access to the platform is possible thanks to the steps that are easy to install. The rubber tires allow the trolley to drive even on uneven terrain! The control panel can be operated at any height of the platform, so with this trolley even up to 1700 mm.

Hortimat customizing work

Hortimat can design the offered machine to exact the customer requirements. Optionally we constructively adjust the machine or we install new operating systems. We also deliver tailor made solutions in the form of logistic conveyor belt systems and we think along with the customer for custom made solutions.



Why Hortimat

- Adapting / modifying of used machines to desired specifications of the customer
- Applying of new 2023 operating systems on used machines
- New Hortimat range of products
- Service and warranty by own technical specialists
- Solid revision; guarantees a long lifetime
- Individual advice about logistics matters, such as: grading machines, processing areas